


TODAY'S ARCHITECTS' CHOICE.



Bright Panels available in 3 sizes 7" X 2.975M (10 FT) 7" X 3.65M (12 FT) Limited Colors 4.5" X 2.975M (10 FT) Limited Colors



CHARACTERISTICS



Self-fire extinguishing Non-Flammable



It is impenetrable by insect or termite and won't rot or rust



à

Low Maintenance Waterproof & Washable

Resistance to household


chemicals

Easy to be cut, drilled, nailed sawed & rivete 1



No painting or varnishing needed

Excellent liquid and superior impact surface



Neat and appealing fence

Endowood Solid Plank (for fence and gate) 96MM X 11MM X 2.9 M






Keeping it cozy



BRAZIL BAMBOO	ENGLISH WALNUT	GRAY
INDIA TE	AK	QAK

Make your home facade stunning




Endowood WPC Outdoor Fluted Panels 219MM X 28MM X 2.9 M























Tri Panel 10″ X 2.975M


Application

External - Most suitable for single roof tile system -Eaves, Soffit, Garage, Basement ceiling

Internal -Mixed & Matched with plaster ceiling as exclusive design -Significant cost saving


Environmentally friendly and weather resistant





WPC (wood plastic composite) material is a kind of reversible recycling using biomass fibers such as saw dust as the main raw materials, using the principle of macromolecule interfacial chemistry and the characteristics of plastic filling and modification, mixing a certain proportion of plastic base materials, processing and forming by special technology.

WPC Decking 150MM X 25MM X 2.8 M



High quality outdoor WPC cladding will give your design a deceptive look and extraordinary



Easy to maintain and low water absorption



Wide Cladding 180MM X 21MM X 2.9 M

